

Default Operating system

hostname :- gsbm1.gmrt.ncra.tifr.res.in

**Default Operating system :- CentOS release 3.9 (Final)
Linux test2.gmrt.ncra.tifr.res.in 2.4.21-53.ELsmp #1 SMP Mon Dec 3 13:34:41 EST 2007
i686 i686 i386 GNU/Linux**

hostname :- gsbm2.gmrt.ncra.tifr.res.in

**Default Operating system :- CentOS release 5 (Final)
Linux test1.gmrt.ncra.tifr.res.in 2.6.18-53.1.6.el5 #1 SMP Wed Jan 23 11:30:20 EST
2008 i686 i686 i386 GNU/Linux**

hostname :-gsbm3.gmrt.ncra.tifr.res.in (HP Compaq dc7800)

**Default Operating system :- CentOS release 5.2 (Final)
Linux gsbm3.gmrt.ncra.tifr.res.in 2.6.18-92.1.22.el5 #1 SMP Tue Dec 16 12:03:43 EST
2008 i686 i686 i386 GNU/Linux**

hostname :- gsbm4.gmrt.ncra.tifr.res.in (HCL LX Infiniti BL1240)

**Default Operating system :- CentOS release 5.3 (Final)
Linux gsbm4 2.6.18-128.2.1.el5 #1 SMP Tue Jul 14 06:39:56 EDT 2009 i686 i686 i386
GNU/Linux**

hostname :- gsbm5.gmrt.ncra.tifr.res.in (HP Compaq dc7800)

**Default Operating system :- CentOS release 3.9 (Final)
Linux gsbm5 2.4.21-50.ELsmp #1 SMP Mon Jun 11 18:13:29 EDT 2007 i686 i686 i386
GNU/Linux**

hostname :- gsbm6.gmrt.ncra.tifr.res.in (HP Compaq dc7800)

**Default Operating system :- CentOS release 5.3 (Final)
Linux gsbm6 2.6.18-128.el5PAE #1 SMP Wed Jan 21 11:19:46 EST 2009 i686 i686 i386
GNU/Linux**

hostname :- node1 To node16

**Default Operating system :- CentOS release 3.8 (Final)
Linux (node name).gmrt.ncra.tifr.res.in 2.4.21-47.ELsmp #1 SMP Tue Aug 1 08:47:53
EDT 2006 i686 i686 i386 GNU/Linux**

hostname :- node17 To node 38 (Dell PowerEdge 2950)

**Default Operating system :- CentOS release 5 (Final)
Linux (node name).gmrt.ncra.tifr.res.in 2.6.18-8.1.8.el5 #1 SMP Tue Jul 10 06:50:22 EDT
2007 i686 i686 i386 GNU/Linux**

hostname :- node39 TO node44 (Tyan Nodes)

**Default Operating system :- CentOS release 5 (Final)
Linux (node name).gmrt.ncra.tifr.res.in 2.6.18-53.1.4.el5 #1 SMP Fri Nov 30 00:45:16
EST 2007 i686 i686 i386 GNU/Linux**

hostname :- node45 To node46 (Dell PowerEdge 2950)

**Default Operating system :- CentOS release 5 (Final)
Linux (nodename).gmrt.ncra.tifr.res.in 2.6.18-8.1.8.el5 #1 SMP Tue Jul 10 06:50:22 EDT
2007 i686 i686 i386 GNU/Linux**

hostname :- node47 To node48 (Tyan Nodes)

**Default Operating system :- CentOS release 5 (Final)
Linux (node name).gmrt.ncra.tifr.res.in 2.6.18-53.1.4.el5 #1 SMP Fri Nov 30 00:45:16
EST 2007 i686 i686 i386 GNU/Linux**

hostname :- node49 To node50 (Dell PowerEdge 2950)

**Default Operating system :- CentOS release 5 (Final)
Linux (node name).gmrt.ncra.tifr.res.in 2.6.18-8.1.8.el5 #1 SMP Tue Jul 10 06:50:22 EDT
2007 i686 i686 i386 GNU/Linux**

hostname :- node51 And node52 (Dell Precision T7500)

**Default Operating system :- CentOS release 5.4 (Final)
Linux (node name).gmrt.ncra.tifr.res.in 2.6.18-164.15.1.el5 #1 SMP Wed Mar 17
11:30:06 EDT 2010 x86_64 x86_64 x86_64 GNU/Linux**

hostname :- node53 And node54 (Dell Precision T7500)

**Default Operating system :- CentOS release 5.5 (Final)
Linux (node name).gmrt.ncra.tifr.res.in 2.6.18-194.8.1.el5 #1 SMP Thu Jul 1 19:04:48
EDT 2010 x86_64 x86_64 x86_64 GNU/Linux**

hostname :- node111 To node118 (Dell Power Edge R710)

**Default Operating system :- CentOS release 5.5 (Final)
Linux (node name) 2.6.18-194.26.1.el5 #1 SMP Tue Nov 9 12:54:20 EST 2010 x86_64
x86_64 x86_64 GNU/Linux**